HOME DECORATORS collection®

MS LARSSON COFFEE TABLE

Assembly Instructions

HDC Item#:01294 MFG#:10-038

Please read over the instructions; it will be a time-saver in the long run.

Note: Before Assembly,please be sure to work on a soft flat surface to avoid any damage to the finish.



Parts Check List

Please remove all the parts carefully from the box.Thoroughly clean all wood surfaces to remove dust and dirt that may have settled onto the finish.



① Top part-1



② Side panel-2

Hardware Check List

Please take all the hardware listed below out of the hardware bag.

A

Allen bolt-8
(1/4″*1-1/4″)

D

Allen wrench -1
ø1/4″

B

Flat Washer-8
(1/4″*16mm)

E

Hand pull -2

C

Lock Washer-8
(1/4″)

F

Bolt-2
(1/4″)

1. Pull out the drawer and disconnect the glide by pressing the plastic tab exposed inside the glide(see the illustration). Since all glides are identical, the plastic tab will be inverted on one side of the drawer. See figure below:



2. Attach Side Panel(2) to Top part(1) with Allen Bolt(A)、Lock Washer(C)、Flat Washer(B) by Allen Wrench(D). See figure below:



3. Place the drawer into the unit.
   Install the Hand Pull(E) with Long Bolts(F). See figure below:



Assembly is now complete!